

WHY SHOULD I CONSIDER MILLER HYBRIDS TO PROVIDE MY SEED?

The team at Miller Hybrids Inc. has been working hard since 2005 to provide our customers with the corn, soybean, and alfalfa seed needed to maximize the profit on their farms. Despite seed industry consolidation, we have sustained our growth as an independent seed corn company over the past 17 years, by sticking to our guiding principles of Partnership, Sustainability, and Innovation.

Miller Hybrids is backed by our one-of-a-kind research and product development program focused on accuracy across varying soils in pure stands. This corn product development research is led by me, a plant breeder and farmer, and it supplies unique genetics initially to you under the Miller Hybrids brand, and later to other seed companies.

Miller Hybrids' research is focused on selecting hybrids adapted to your region, your soils, and your farming practices with a focus on elite conventional hybrids with traits also available, if you prefer.

When you choose to work with Miller Hybrids, you are choosing to work with a farm family owned and operated business. Miller Hybrids takes on the same challenges as the big Ag industry, but focuses on pleasing its customers, not its shareholders. You are choosing to promote local community growth by keeping your dollars in the Midwest, where your children and grandchildren will benefit. Bob and Pam Miller, alongside the Miller Hybrids team, have been hard at work to make sure that the seed varieties we sell under the Miller Hybrids, Roeschley Hybrids, and Apex seed brands offer outstanding options for farm families in Iowa, Wisconsin, Illinois, South Dakota, Michigan, and adjacent states. We thank you because our success in the past, present, and future is strictly because of you and your success. We do not take lightly your willingness to partner with the Miller Hybrids team and hope you continue to see Miller Hybrids as a quality farmer-focused seed company alternative to the billion dollar seed companies with shareholders as their focus. Whether you are a new prospective customer, a first year customer, or you have been with us since the start, we appreciate your business and look forward

You can always call me personally (Bob's cell 319-325-6158) or stop by to visit.

to partnering with you for a successful 2023 growing season.

Bob + Pan Miller

Thank you!

Bob & Pam Miller Owners

CONVENTIONAL CORN LINEUP

| | | <u>()</u> | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
|-----|--------------|-------------------|----------------------|------------|--------------------|-------------------|--------------|------------|-----------------|-------------|----------------|-----------------|-----------------|-----------------|--------------------|-------------------|---------------------|----------------|---------------|-----------------|----------------|-----------|-------------|---------------|----------------|-------------|----------------------|-------------|----------|
| NEW | PRODUCT NAME | RELATIVE MATURITY | AVAILABLE TECHNOLOGY | POPULATION | GDU TO BLACK LAYER | SOIL PRODUCTIVITY | PLANT HEIGHT | ЕАК НЕІСНТ | EAR TYPE (FLEX) | KERNEL ROWS | SEEDLING VIGOR | CORN-AFTER-CORN | NO-TILL ADAPTED | LATE N RESPONSE | FUNGICIDE RESPONSE | DROUGHT TOLERANCE | GREENSNAP TOLERANCE | STALK STRENGTH | ROOT STRENGTH | SILAGE QUANTITY | SILAGE QUALITY | STAYGREEN | TEST WEIGHT | GRAIN DRYDOWN | GRAY LEAF SPOT | GOSS'S WILT | NORTHERN LEAF BLIGHT | ANTHRACNOSE | TAR SPOT |
| / | M80-40 | 80 | CONV | 27-34 | 2097 | MED-LOW | MED | MED | SEMI-FLEX | 16-18 | 7.0 | 6.5 | 7.5 | 6.5 | 6.5 | 7.5 | 7.5 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | NA | NA | NA | NA | NA |
| X | M88-120RG | 88 | ORG | 30-35 | 2231 | HIGH-LOW | MED | MED | SEMI-FLEX | 14-16 | 7.0 | 7.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | 8.0 | 8.0 | 7.5 | 7.5 | 8.5 | 7.0 | 7.0 | 7.0 | 8.5 | 7.0 | NA | NA |
| | M92-42 | 92 | CONV | 28-34 | 2340 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 7.0 | 7.5 | 7.5 | 9.0 | 9.0 | 7.5 | 8.5 | 7.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.0 | 7.5 | 7.5 | 7.5 | 7.0 | NA | 7.0 |
| X | M94-32ORG | 95 | ORG | 28-34 | 2320 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 8.0 | 6.5 | 8.5 | 7.5 | NA | 7.5 | 7.5 | 8.0 | 8.5 | 7.0 | 7.0 | 7.5 | 7.5 | 7.0 | 7.5 | 7.0 | 7.0 | NA | 7.0 |
| | M96-13 | 96 | CONV | 30-36 | 2430 | MED-LOW | MED | MED | FLEX | 14-16 | 8.0 | 7.0 | 8.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 9.0 | 7.5 | 7.0 | 7.0 | 8.5 | 7.5 | 8.0 |
| | RX97-40 | 97 | CONV | 26-36 | 2360 | HIGH-LOW | MED | MED | SEMI-FLEX | 16-18 | 8.0 | 6.5 | 7.5 | 7.5 | 7.5 | 8.5 | 9.0 | 8.5 | 7.5 | 7.5 | 7.5 | 7.0 | 8.5 | 7.0 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 |
| | M98-70 | 98 | CONV | 30-38 | 2460 | HIGH-MED | MED | MED | SEMI-FLEX | 16-18 | 7.0 | 6.5 | 8.5 | 7.5 | 9.0 | 7.5 | 7.5 | 7.5 | 8.5 | 6.5 | 7.5 | 7.0 | 6.5 | 9.0 | 6.5 | 8.5 | 6.0 | 7.5 | 7.5 |
| X | RX98-01 | 98 | CONV | 30-36 | 2480 | High-Low | Med | Med | SEMI-DET | 16-18 | 8.0 | 8.5 | 8.5 | 9.0 | 8.0 | 8.0 | 8.5 | 8.0 | 9.0 | 7.5 | 8.0 | 7.5 | 8.0 | 8.0 | 7.0 | 8.0 | 8.0 | 8.0 | 8.0 |
| × | M00-75 | 100 | CONV | 26-38 | 2450 | HIGH-MED | MED | MED | SEMI-FLEX | 18-20 | 7.0 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 9.0 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.5 | 8.5 | 8.0 |
| | RX00-58 | 100 | CONV | 28-36 | 2412 | HIGH-MED | TALL | MED-HIGH | SEMI-FLEX | 16-18 | 8.0 | 6.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | NA | 7.0 | 7.5 | 8.5 | 7.0 | 7.0 | 6.5 | 7.5 | 7.0 |
| | RX03-47 | 103 | CONV | 28-34 | 2490 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 14-16 | 8.0 | 6.0 | 9.0 | 7.5 | 9.0 | 7.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.0 | 7.5 | 7.5 | 6.5 | 7.0 | 8.5 | 7.5 | 7.0 |
| X | M04-840RG | 104 | ORG | 26-34 | 2575 | HIGH-MED | MED-TALL | MED-HIGH | SEMI-FLEX | 16-18 | 7.0 | 7.5 | 7.0 | 7.0 | 8.0 | 7.0 | 7.5 | 8.5 | 7.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.0 | 7.5 | 8.5 | 7.5 | NA | 8.0 |
| | M05-72 | 105 | CONV | 30-36 | 2645 | HIGH-LOW | MED-TALL | MED | SEMI-FLEX | 16-18 | 5.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 7.5 | 9.0 | 7.5 | 6.5 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 7.0 | 7.0 |
| Ĭ. | M06-62 | 106 | CONV | 30-38 | 2600 | HIGH-LOW | MED-TALL | MED | SEMI-DET | 18-22 | 7.0 | 7.5 | 7.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.0 | 7.0 | 6.5 | 7.0 | 7.5 | 7.5 | 7.5 | 8.5 |
| / | M06-42ORG | 106 | ORG | 28-34 | 2633 | HIGH-MED | MED-TALL | HIGH | SEMI-FLEX | 20 | 8.0 | 8.5 | 8.5 | 7.5 | NA | 7.5 | 7.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.0 | 7.0 | 7.5 | 8.5 | 7.5 | 7.0 | NA |
| 4 | M07-02 | 107 | CONV | 28-36 | 2700 | MED | TALL | HIGH | SEMI-FLEX | 16-20 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.0 | 6.5 | 7.5 | 6.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.5 | 9.0 | 7.5 | 7.5 | 7.0 | 7.0 |
| N_ | M07-84 | 107 | CONV | 28-36 | 2660 | HIGH-MED | TALL | HIGH | SEMI-FLEX | 14-16 | 7.0 | 7.5 | 7.5 | 9.0 | 9.0 | 7.5 | 7.5 | 7.0 | 7.5 | 8.5 | 8.5 | 8.5 | 6.5 | 7.5 | 7.5 | 7.0 | 7.0 | 7.0 | 8.5 |
| X | M08-49 | 107 | CONV | 28-36 | 2600 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-20 | 6.0 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.0 | 7.2 | 8.5 | 8.5 | 8.5 | 8.5 | 7.5 |
| X | M08-54 | 108 | CONV | 30-36 | 2600 | HIGH-MED | MED | MED | SEMI-FLEX | 16-18 | 7.0 | 8.5 | 8.5 | 8.5 | 9.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 6.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 8.5 |
| | M09-01 | 109 | CONV | 27-33 | 2650 | HIGH-MED | MED | MED | FLEX | 16-18 | 7.0 | 6.5 | 8.5 | 9.0 | 9.0 | 8.5 | 8.5 | 6.0 | 7.0 | 6.5 | 7.5 | 7.0 | 7.0 | 8.5 | 7.0 | 7.5 | 7.5 | 6.0 | 7.0 |
| | M09-54 | 109 | CONV | 30-36 | 2640 | HIGH-LOW | MED | MED | SEMI-FLEX | 16-18 | 9.0 | 6.5 | 8.5 | 8.5 | 9.0 | 7.5 | 7.5 | 7.0 | 8.5 | 6.5 | 8.5 | 7.0 | 6.0 | 6.5 | 7.5 | 7.0 | 6.5 | 7.0 | 8.0 |
| | M09-63 | 109 | CONV | 28-34 | 2630 | HIGH-MED | MED | MED | SEMI-FLEX | 16-18 | 7.0 | 6.5 | 7.5 | 9.0 | 9.0 | 7.0 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 6.5 | 6.5 | 7.0 | 7.0 | 7.5 | 7.0 | 8.0 |
| L | MPB09-11 | 109 | CONV | NA | 2680 | HIGH-LOW | MED-TALL | MED | SEMI-FLEX | 16-18 | 8.5 | 6.5 | 8.5 | 8.5 | 8.5 | 7.2 | 7.5 | 7.2 | 7.5 | 7.2 | 8.5 | 7.0 | 6.5 | 6.5 | 8.0 | 6.5 | 6.7 | 7.2 | 8.0 |
| • | MPB09-51 | 109 | CONV | 28-33 | 2645 | HIGH-LOW | MED | MED | SEMI-FLEX | 16-20 | 8.0 | 6.5 | 8.5 | 8.5 | 9.0 | 8.0 | 8.0 | 7.0 | 8.0 | 7.5 | 8.0 | 7.0 | 6.5 | 7.2 | 7.2 | 7.5 | 7.0 | 6.5 | 7.0 |
| | M10-54 | 110 | CONV | 30-36 | 2620 | HIGH-LOW | MED | MED | SEMI-FLEX | 16-18 | 7.0 | 7.5 | 8.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 9.0 | 7.5 | 8.5 | 7.5 | 7.0 | 6.5 | 8.5 | 7.5 | 7.5 | 7.0 | 8.5 |
| | M10-54ORG | 110 | ORG | 30-36 | 2620 | HIGH-LOW | MED | MED | SEMI-FLEX | 16-18 | 7.0 | 7.5 | 8.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 6.5 | 6.5 | 8.5 | 7.5 | 7.5 | 7.0 | 8.5 |
| 1 | M10-66 | 110 | CONV | 30-36 | 2690 | HIGH-MED | MED-SHORT | MED | SEMI-FLEX | 16-18 | 9.0 | 7.0 | 9.0 | 9.0 | 9.0 | 7.5 | 7.0 | 8.5 | 8.5 | 7.0 | 7.5 | 7.5 | 6.5 | 7.0 | 7.5 | 7.5 | 7.0 | 7.5 | 8.0 |
| ě. | M10-74 | 110 | CONV | 30-36 | 2690 | HIGH-MED | MED-TALL | MED-HIGH | SEMI-FLEX | 16 | 8.0 | 6.5 | | | | | 7.0 | | | | | 7.0 | 7.0 | 7.0 | 7.5 | 6.5 | 7.0 | 7.5 | 7.5 |
| À | RX10-36 | | CONV | | | | MED-TALL | MED | SEMI-DET | 16 | 7.0 | 9.0 | | | 9.0 | | | | | 8.5 | | 7.5 | | 7.5 | | 6.5 | | 7.5 | 8.0 |
| | MPB10-08 | | | | | HIGH-LOW | MED | MED | SEMI-FLEX | 16-18 | 8.0 | | | | | | 8.5 | | | | | | 4.5 | 6.5 | 8.0 | | | 7.0 | 8.0 |
| 4 | MPB10-33 | 110 | CONV | 29-36 | 2640 | HIGH-LOW | MED | MED | SEMI-FLEX | 16-20 | 7.5 | | | | 8.5 | | | | | 5.5 | | | | | | | | | 7.5 |
| | MPB10-99 | 110 | | | | HIGH-LOW | | MED | SEMI-FLEX | 16-18 | | | | | | | | | | | | | | | | | | 8.0 | - 60 |
| | M11-66 | 111 | CONV | 30-40 | 2630 | MED-LOW | MED-SHORT | MED | SEMI-FLEX | 16-18 | 8.0 | 8.5 | 9.0 | 8.5 | 8.5 | 8.5 | 8.5 | 7.5 | 9.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.0 | 7.5 | 7.5 | 8.5 | 8.5 | 8.5 |

RATING SCALE: 9.0 = EXCELLENT, 1.0 = FAIR, NA = NOT AVAILABLE | CONV = CONVENTIONAL | ORG = ORGANIC | MED = MEDIUM | DET = DETERMINANT

| THE PRINCIPLE OF | 18 | | | | March. | | | | | | | | | | | | | | | | | | | | | | 10 | 100 |
|----------------------|-------------------|----------------------|------------|--------------------|-------------------|--------------|----------|-----------------|-------------|----------------|-----------------|-----------------|-----------------|--------------------|-------------------|---------------------|----------------|---------------|-----------------|----------------|-----------|-------------|---------------|----------------|-------------|----------------------|-------------|----------|
| NEW PRODUCT NAME | RELATIVE MATURITY | AVAILABLE TECHNOLOGY | POPULATION | GDU TO BLACK LAYER | SOIL PRODUCTIVITY | PLANT HEIGHT | ЕАКНЕЮНТ | EAR TYPE (FLEX) | KERNEL ROWS | SEEDLING VIGOR | CORN-AFTER-CORN | NO-TILL ADAPTED | LATE N RESPONSE | FUNGICIDE RESPONSE | DROUGHT TOLERANCE | GREENSNAP TOLERANCE | STALK STRENGTH | ROOT STRENGTH | SILAGE QUANTITY | SILAGE QUALITY | STAYGREEN | TEST WEIGHT | GRAIN DRYDOWN | GRAY LEAF SPOT | GOSS'S WILT | NORTHERN LEAF BLIGHT | ANTHRACNOSE | TAR SPOT |
| M11-660RG | 111 | ORG | 30-40 | 2630 | MED-LOW | MED-SHORT | MED | SEMI-FLEX | 16-18 | 8.0 | 8.5 | 9.0 | 8.5 | 8.5 | 8.5 | 8.5 | 9.0 | 9.0 | 7.0 | 7.5 | 7.5 | 7.5 | 7.0 | 7.5 | 7.5 | 8.5 | 8.5 | 8.5 |
| M11-74 | 111 | CONV | 30-36 | 2720 | HIGH-MED | MED-TALL | MED-HIGH | SEMI-FLEX | 16 | 8.0 | 7.5 | 8.5 | 8.5 | 8.5 | 7.0 | 8.5 | 7.0 | 8.5 | 8.5 | 8.5 | 7.0 | 7.0 | 6.5 | 8.5 | 7.0 | 7.5 | 7.0 | 8.0 |
| MPB11-60 | 111 | CONV | 30-36 | 2625 | HIGH-LOW | MED-SHORT | MED | SEMI-FLEX | 16-18 | 7.5 | 8.0 | 8.5 | 8.5 | 8.5 | 8.5 | 8.0 | 8.5 | 8.5 | 7.2 | 8.0 | 7.5 | 7.0 | 5.5 | 8.0 | 7.5 | 8.0 | 7.5 | 8.5 |
| RX12-70 | 112 | CONV | 30-36 | 2655 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 7.0 | 8.5 | 8.5 | 7.5 | 9.0 | 7.5 | 7.5 | 8.5 | 7.0 | 7.5 | 7.0 | 7.0 | 8.5 | 7.0 | 6.5 | 7.5 | 8.5 | 7.5 | 8.0 |
| M13-81 | 113 | CONV | 28-36 | 2740 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 8.0 | 7.5 | 9.0 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.0 | 6.5 | 7.0 | 7.5 | 8.5 | 7.0 | 7.5 | 8.0 |
| M14-40 | 114 | CONV | 30-36 | 2780 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-20 | 8.0 | 7.5 | 7.5 | 8.5 | 9.0 | 7.5 | 7.0 | 7.0 | 7.5 | 8.5 | 8.5 | 7.5 | 6.5 | 6.5 | 8.5 | 7.5 | 7.0 | 7.0 | 8.0 |
| M14-81 | 114 | CONV | 30-36 | 2820 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 9.0 | 7.5 | 9.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 7.0 | 7.0 | 8.5 | 7.5 | 7.0 | 7.5 | 8.5 |
| M14-810RG | 114 | ORG | 30-36 | 2820 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 9.0 | 7.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | 7.5 | 7.0 | 6.5 | 8.5 | 7.5 | 7.0 | 7.5 | 8.5 |
| RX14-70 | 114 | CONV | 27-36 | 2852 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-18 | 7.0 | 9.0 | 9.0 | 7.5 | 6.5 | 8.5 | 7.5 | 9.0 | 9.0 | 9.0 | 7.5 | 9.0 | 9.0 | 6.5 | 9.0 | 7.5 | 7.5 | 8.5 | 8.0 |
| MPB14-41 | 114 | CONV | 28-34 | 2800 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-20 | 7.5 | 7.0 | 7.5 | 8.5 | 9.0 | 8.0 | 7.5 | 7.2 | 8.0 | 8.5 | 8.5 | 7.2 | 6.5 | 6.5 | 8.5 | 7.2 | 7.2 | 7.0 | 8.0 |
| MPB14-60 | 114 | CONV | 28-34 | 2780 | HIGH-LOW | MED-TALL | MED | SEMI-FLEX | 16-20 | 7.5 | 7.0 | 8.5 | 9.0 | 8.5 | 8.0 | 7.5 | 7.2 | 8.0 | 8.5 | 8.5 | 7.0 | 6.5 | 5.5 | 8.0 | 7.5 | 7.2 | 7.2 | 8.0 |
| M15-14 | 115 | CONV | 29-34 | 2860 | HIGH-LOW | TALL | MED-HIGH | FLEX | 16-20 | 5.0 | 7.5 | 7.0 | 6.5 | 6.5 | 6.5 | 7.5 | 8.5 | 7.0 | 9.0 | 9.0 | 7.5 | 6.5 | 7.5 | 7.5 | 7.5 | 7.5 | 9.0 | NA |
| M15-28 | 115 | CONV | 26-36 | 2790 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 14-18 | 6.0 | 7.5 | 7.5 | 8.5 | 7.5 | 7.0 | 7.5 | 7.5 | 7.0 | 8.5 | 7.5 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | NA | 7.5 | NA |
| M15-40 | 115 | CONV | 28-34 | 2820 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 18-20 | 7.0 | 6.5 | 7.5 | 8.5 | 9.0 | 8.5 | 8.5 | 6.5 | 8.5 | 9.0 | 9.0 | 7.0 | 6.5 | 6.5 | 8.5 | 7.0 | 7.5 | 7.0 | 8.5 |
| X RX15-13ORG | 115 | ORG | 27-37 | 2853 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-19 | 8.0 | 9.0 | 9.0 | 7.5 | 6.5 | 8.5 | 7.5 | 9.0 | 9.0 | 9.0 | 7.5 | 9.0 | 9.0 | 6.5 | 9.0 | 7.5 | 7.5 | 8.5 | 8.0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

RATING SCALE: 9.0 = EXCELLENT, 1.0 = FAIR, NA = NOT AVAILABLE | CONV = CONVENTIONAL | ORG = ORGANIC | MED = MEDIUM | DET = DETERMINANT

Hybrids or Varieties marked RX are licensed by Roeschley Hybrids 8222 East 1500 North Road Graymont, IL 61743. Miller Hybrids is an authorized distributor of Roeschley Hybrids.

WHY CONSIDER PLANTING BLENDS OF PREMIUM CORN VARIETIES?

Miller Hybrids has researched blending premium corn varieties over the last few years.

There are many reasons why blending premium corn varieties makes sense as way to potentially increase your total performance. Here are just a few reasons to consider:

- Data shows that blending corn hybrids containing different genetic backgrounds can provide hybrid vigor for seed size, giving 1 to 4% bigger kernels versus the average of the hybrids per se
- 2. Blending corn hybrids with different standability characteristics can lead to sizable increases in standability at harvest, compared to the individual hybrid components. We observed that when a hybrid with weaker summer root strength is blended with a hybrid with weaker harvest stalk strength, we typically see the standability of the blend close to the best hybrid per se for each trait. This also can help to reduce summer greensnap, as each hybrid may be at different growth stages, have different growth rates, or have different genetic tolerance to extreme winds
- 3. Blending hybrids with slightly different flowering dates can spread the flowering window and lead to more complete pollination of ears, especially on the earlier hybrid of the blend
- 4. Blending hybrids with different agronomic characteristics can allow the tougher hybrid to over-compete on the tough soil and the more racehorse hybrid to over-compete on the better soil
- Under stress, hybrids with better pollen vigor will pollinate a more stress sensitive hybrid, better than it would on its own
- 6. A hybrid with a vigorous vertical root style, may help its blended component hybrid penetrate deeper in the canopy as it paves the way for the other hybrid to follow through it down

Ask your Miller Hybrids sales person if there is good premium corn blend for your farming operation and give premium blends a try in 2024.

PREMIUM CONVENTIONAL CORN BLENDS

MPB09-11 109 DAY

| STALK STRENGTH | 7.2 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.2 |
| SEEDLING VIGOR | 8.5 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Very good yield and toughness
- » Great on sandy or timber soils
- » Loves fungicide
- » Maximum ROI at higher moistures



MPB09-51 109 DAY

| STALK STRENGTH | 7.0 |
|-------------------|-----|
| ROOT STRENGTH | 8.0 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 8.0 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 8.0 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yield potential with excellent stability
- » Maximum ROI at higher moistures
- » Great on sandy or timber soils
- » Great ear flex
- » Moves West well



MPB10-08 **110** DAY

| STALK STRENGTH | 7.2 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.2 |
| DROUGHT TOLERANCE | 8.0 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent yield on average soil
- » Handles lower fertility better than most
- » Loves fungicide
- » Medium size with upright leaves



MPB10-33

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 9.0 |
| STAYGREEN | 7.2 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7.5 |
| SILAGE QUALITY | 8.5 |
| | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Top yield with excellent stability
- » Maximum ROI at higher moistures
- » Prefers decent soil drainage
- » Great on sandy or timber soils



MPB10-99

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 9.0 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.0 |
| SEEDLING VIGOR | 8.5 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Top yield with excellent stability
- » Excellent roots and stalks
- » Medium size with upright leaves
- » Flexible plant density, but evaluate in pure stand
- » Loves fungicide

MPB11-60

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7.5 |
| SILAGE QUALITY | 8.0 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Outstanding yield and standability
- » Great consistency across varying soils
- » Flexes well at lower densities
- » Likes good fertility
- » Medium small plant with upright leaves

MPB14-41

114 DAY

| STALK STRENGTH | 7.2 |
|-------------------|-----|
| ROOT STRENGTH | 8.0 |
| STAYGREEN | 7.2 |
| DROUGHT TOLERANCE | 8.0 |
| SEEDLING VIGOR | 7.5 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent grain yield and health
- » Top silage tonnage with great digestibility
- » Maximum ROI at higher moistures
- » Flexes well at lower densities

MPB14-60 114 DAY

| STALK STRENGTH | 7.2 |
|-------------------|-----|
| ROOT STRENGTH | 8.0 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 8.0 |
| SEEDLING VIGOR | 7.5 |
| SILAGE OLIALITY | ΩΓ |

- » Excellent grain and silage yield
- » Flexes ears and handles tight clay soils
- » Great digestibility
- » Harvest timely for maximum ROI



M92-42

| STALK STRENGTH | 7.0 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Widely adapted across varying environments
- » Very good early vigor with good stress tolerance
- » Outstanding silage quality and quantity
- » Leader in maturity for yield potential



M96-13

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Consistent high yields on rotated ground
- » Very good roots and stalks
- » Tough hybrid with excellent grain quality
- » Responds to fungicide but great Goss's rating
- » Excellent seedling vigor



RX97-40 **97** DAY

| STALK STRENGTH | 8.5 |
|---|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 7.5 |
| Rating Scale: 9.0 = Excellent, 1.0 = Fair | |

- » Very good drought and stress tolerance for tough soils
- » Strong emergence and early vigor
- » Excellent yield across most soils
- » Anthracnose tolerance and great standability



M98-70 98 DAY

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Key hybrid with consistent high yields
- » Very good NCLB resistance, but responds to fungicide
- » Shorter plant with very good fall appearance
- » Excellent dry down on semi-flex ears
- » Excellent roots with decent stalks



M00-75

NEW

| STALK STRENGTH | 9.0 |
|---|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 8.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR 7.0 | |
| SILAGE QUALITY | 8.5 |
| Rating Scale: 9.0 = Excellent, 1.0 = Fair | |

» Outstanding yield for maturity

- » Excellent roots and stalks
- » Artesian drought tolerance for yield under stress
- » Consistent across wide geographical area
- » Average plant health

RX00-58

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8.0 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yield potential with good fertility
- » Nice fall intactness with good test weight
- » Best performance Central and West
- » Dual-purpose option
- » Very good stalks and greensnap tolerance

RX03-47

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.0 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Very good roots and stalks
- » Excellent seedling vigor
- » Heavy test weight
- » Great no-till choice

M05-72 105 DAY

| STALK STRENGTH | | 7.5 |
|-------------------|-----|-----|
| ROOT STRENGTH | | 7.5 |
| STAYGREEN | | 6.5 |
| DROUGHT TOLERANCE | | 7.5 |
| SEEDLING VIGOR | 5.0 | |
| SILAGE QUALITY | | 7.5 |

- » Very good top-end yielding hybrid over years
- » Ears flex by adding girth
- » Moves South of zone
- » Excellent disease tolerance
- » Low greensnap risk with strong stalks and good roots



CONVENTIONAL CORN

M06-62 106 DAY

| STALK STRENGTH | 7.0 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 7.5 |

- Rating Scale: 9.0 = Excellent, 1.0 = Fair
- » Moves North well and flowers early» Girthy ear with deep kernels
- » Very good staygreen and intactness
- » Good tolerance to Tar Spot, NCLB, and Goss's Wilt



M08-49 107 DAY NEW

| STALK STRENGTH | 8 | 3.5 |
|---|-----|-----|
| ROOT STRENGTH | 7.5 | |
| STAYGREEN | 3 | 3.5 |
| DROUGHT TOLERANCE | 7.5 | |
| SEEDLING VIGOR | 6.0 | |
| SILAGE QUALITY | 7.5 | |
| Rating Scale: 9.0 = Excellent, 1.0 = Fair | | |

- » Outstanding NCLB, Tar Spot, and Goss's tolerance
- » Best performance in zone and to the South
- » Nice grain quality and test weight
- » Excellent stalks and health



M08-54

NEW

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 8.5 |
| | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Moves North of zone well
- » Handles sandy and variable soils well
- » Good Tar Spot and Northern Leaf Blight tolerance
- » Medium plant style with low ears



M09-63

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.0 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent yield in better soils
- » Medium size with upright leaf
- » Excellent under irrigation and prairie soils
- » Very good stalks and general health



M10-54

| STALK STRENGTH 7.5 | 5 |
|--|-----|
| ROOT STRENGTH | 9.0 |
| STAYGREEN 7.5 | 5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR 7.0 | |
| SILAGE QUALITY | 8.5 |
| Pating Coals: 0.0 - Evaplant 10 - Eair | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yielding hybrid with stability under drought
- » Very good early growth
- » Great response to fungicide
- » Excellent roots
- » Excels in tough clay soils

MILLER

M10-66

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 9.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Position on higher fertility to maximize yield
- » Very good stalk strength and plant health
- » Medium-small plant with medium-low ear
- » Pineapple leaf structure
- » Use block planting or double border rows to accurately measure yield

MILLER

M10-74

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.0 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.0 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Superior yield potential
- » Responds to high management
- » Best kept on average to good soils
- » Nice agronomics
- » Moves North of zone and also a great dual-purpose and earlage variety

MILLER

M11-66

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 9.0 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 8.5 |

- » Impressive yield stability and stress tolerance
- » Well adapted for no-till operations
- » Particularly good root anchorage and plant health
- » Medium-small plant with medium-low ear
- » Handles high density with pineapple leaf structure
- » Use block planting to accurately measure yield



M11-74

| STALK STRENGTH | 7.0 | |
|-------------------|-----|--|
| ROOT STRENGTH | 8.5 | |
| STAYGREEN | 7.0 | |
| DROUGHT TOLERANCE | 7.0 | |
| SEEDLING VIGOR | 8.0 | |
| SILAGE QUALITY | 8.5 | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Superior yield potential
- » Responds to high management
- » Best kept on average to good soils
- » Nice agronomics
- » Dual purpose option



RX12-70

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.0 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 7.0 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Likes high management for great yields
- » Anthracnose tolerance and tolerates high populations
- » Very good roots and stalks
- » Excellent test weight on semi-flex ear



M13-81

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent top-end yielding hybrid
- » Works well across maturity zones
- » Very good earlage and silage option
- » Nice agronomics
- » Excellent early vigor and consistency



M14-40

| STALK STRENGTH | 7.0 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Superior yielding, dual-purpose hybrid
- » Responds to fungicide and high management
- » Great response to irrigation
- » Flexes well at lower densities
- » Very good roots and greensnap tolerance



M14-81

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 9.0 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Great yield with excellent silage and earlage quality
- » Good heat and drought tolerance
- » Rapid early growth and consistent yields
- » Responds to fungicide
- » Excels in tough soils

MILLER

RX14-70

| STALK STRENGTH | | 9.0 |
|------------------------------------|--------|-----|
| ROOT STRENGTH | | 9.0 |
| STAYGREEN | | 9.0 |
| DROUGHT TOLERANCE | | 8.5 |
| SEEDLING VIGOR | 7.0 | |
| SILAGE QUALITY | 7.5 | 5 |
| Rating Scale: 9.0 = Excellent, 1.0 | = Fair | |

» Great yield with stability and excellent grain quality

» Very reliable hybrid across soil types

- » Strong agronomic package
- » Great corn-on-corn

MILLER

M15-40

| STALK STRENGTH | 6.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.0 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 9.0 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yield with excellent silage and earlage quality
- » Positive response to fungicide and good fertility
- » Good heat and drought tolerance
- » Prefers adequate drainage
- » Harvest timely

MILLER

I have been all Miller
Hybrids since 2010. I
like the fact that I can
talk to the plant breeder
when I have questions
about a hybrid for a
specific soil type and he
also happens to be the
owner of the company.
Rarely does the operator
have those options to
gather information.

DAVID GRAYBILL

Freeport, IL

ORGANIC CORN

M88-120RG **88** DAY **NEW**

| STALK STRENGTH | 8.0 |
|-------------------|-----|
| ROOT STRENGTH | 8.0 |
| STAYGREEN | 8.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent late season intactness and staygreen
- » Performs in low to high yield environments
- » Excellent Goss's Wilt tolerance





M94-320RG **95** DAY

| STALK STRENGTH | 8.0 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8.0 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Very good stalks and roots
- » Great yield potential and test weight
- » Widely adapted

SILAGE QUALITY

» Very good emergence





M04-840RG **104** DAY

| STALK STRENGTH | | 8.5 |
|-------------------|-----|-----|
| ROOT STRENGTH | 7.0 | |
| STAYGREEN | | 8.5 |
| DROUGHT TOLERANCE | 7.0 | |
| SEEDLING VIGOR | 7.0 | |
| SILAGE QUALITY | | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent Goss's Wilt tolerance
- » Very good Tar Spot and NCLB tolerance
- » Great late-season health and intactness
- » Strong stalks and greensnap tolerance
- » Flex ears with good test weight





M06-420RG

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excels on less productive soils
- » Excellent emergence and seedling vigor
- » Dual-purpose organic hybrid
- » Healthy with great standability
- » Consistent across years and zones





M10-540RG

| STALK STRENGTH | 7.5 |
|---|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR 7. | .0 |
| SILAGE QUALITY | 8.5 |
| Rating Scale: 9.0 = Excellent, 1.0 = Fo | air |

- » High yielding hybrid with stability
- » Very good early growth
- » Great response to fungicide, especially if NCLB present
- » Excellent roots





M11-66ORG

| STALK STRENGTH | 9.0 |
|-------------------|-----|
| ROOT STRENGTH | 9.0 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 8.0 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Impressive yield stability and stress tolerance
- » Well adapted for no-till operations
- » Particularly good root anchorage and plant health
- » Medium-small plant with medium-low ear
- » Handles high density with pineapple leaf structure
- » Use block planting to accurately measure yield





M14-810RG

| STALK STRENGTH | 8 | 3.5 | | | | |
|---|-----|-----|--|--|--|--|
| ROOT STRENGTH | 8.5 | | | | | |
| STAYGREEN | 7.5 | | | | | |
| DROUGHT TOLERANCE | 7.5 | | | | | |
| SEEDLING VIGOR | | 9.0 | | | | |
| SILAGE QUALITY | 8 | 3.5 | | | | |
| Rating Scale: 9.0 = Excellent, 1.0 = Fair | | | | | | |

- » Great yield with excellent silage and earlage quality
- **»** Good heat and drought tolerance
- » Rapid early growth and consistent yields
- » Responds to fungicide





RX15-130RG

NEW

| STALK STRENGTH | 9.0 | | | | | | |
|---|-----|--|--|--|--|--|--|
| ROOT STRENGTH | 9.0 | | | | | | |
| STAYGREEN | 9.0 | | | | | | |
| DROUGHT TOLERANCE | 8.5 | | | | | | |
| SEEDLING VIGOR | 8.0 | | | | | | |
| SILAGE QUALITY | 7.5 | | | | | | |
| Rating Scale: 9.0 = Excellent, 1.0 = Fair | | | | | | | |

- » Superior yielding organic, dual-purpose hybrid
- » Flexes well at lower densities
- » Very good roots and greensnap tolerance
- » Excellent golden grain quality and test weight





TRAITED CORN MILLER HYBRIDS

| И | | A | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 |
|-----|--------------|-------------------|----------------------|------------|--------------------|-------------------|--------------|------------|-----------------|-------------|----------------|-----------------|-----------------|-----------------|--------------------|-------------------|---------------------|----------------|---------------|-----------------|----------------|-----------|-------------|---------------|----------------|-------------|----------------------|-------------|----------|
| MEN | PRODUCT NAME | RELATIVE MATURITY | AVAILABLE TECHNOLOGY | POPULATION | GDU TO BLACK LAYER | SOIL PRODUCTIVITY | PLANT HEIGHT | ЕАR НЕІОНТ | EAR TYPE (FLEX) | KERNEL ROWS | SEEDLING VIGOR | CORN-AFTER-CORN | NO-TILL ADAPTED | LATE N RESPONSE | FUNGICIDE RESPONSE | DROUGHT TOLERANCE | GREENSNAP TOLERANCE | STALK STRENGTH | ROOT STRENGTH | SILAGE QUANTITY | SILAGE QUALITY | STAYGREEN | TEST WEIGHT | GRAIN DRYDOWN | GRAY LEAF SPOT | GOSS'S WILT | NORTHERN LEAF BLIGHT | ANTHRACNOSE | TAR SPOT |
| | RX92-36 | 92 | SS RIB | 30-36 | 2315 | HIGH-MED | MED-TALL | MED | SEMI-DET | 16-18 | 8.0 | 9.0 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 9.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.0 | 7.0 | NA | 7.5 | 6.0 | 8.5 | NA |
| | RX0961 | 96 | G; VT2P | 28-36 | 2425 | HIGH-LOW | MED-SHORT | MED | SEMI-DET | 16-18 | 7.0 | 9.0 | 9.0 | 9.0 | 7.5 | 8.5 | 9.0 | 7.5 | 7.5 | 3.0 | 6.0 | 7.5 | 7.5 | 7.5 | 7.5 | 6.5 | 7.0 | 7.5 | 7.0 |
| | RX97-13 | 97 | VT2P RIB | 30-36 | 2430 | MED-LOW | MED | MED | FLEX | 14-16 | 8.0 | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 9.0 | 7.5 | 7.0 | 7.0 | 8.5 | 7.5 | 7.5 |
| | RX98-30 | 98 | VT2P RIB | 26-36 | 2450 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-18 | 8.0 | 7.5 | 7.0 | NA | 8.5 | 7.5 | 7.5 | 7.0 | 7.5 | 8.5 | NA | 7.5 | 7.0 | 6.5 | 7.0 | 8.5 | 7.0 | NA | 7.0 |
| | M00-75 | 100 | V | 26-38 | 2450 | HIGH-MED | MED | MED | SEMI-FLEX | 18-20 | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 9.0 | 8.5 | 7.5 | 7.5 | 8.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.0 |
| | RX00-13 | 100 | SS RIB | 24-32 | 2502 | HIGH-MED | MED | MED-HIGH | SEMI-FLEX | 18-20 | 6.0 | 6.5 | 6.5 | NA | NA | 7.0 | 7.5 | 7.0 | 9.0 | 7.0 | 8.5 | 6.0 | 6.0 | 7.5 | 7.0 | 7.0 | 6.5 | NA | 7.5 |
| | RX00-58 | 100 | VT2P RIB | 28-36 | 2412 | HIGH-MED | TALL | MED-HIGH | SEMI-FLEX | 16-18 | 8.0 | 6.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | NA | 7.0 | 7.5 | 8.5 | 7.0 | 7.0 | 6.5 | 7.5 | NA |
| | M02-73 | 103 | DV; V | 27-36 | 2475 | HIGH-MED | TALL | MED-HIGH | SEMI-FLEX | 18 | 8.0 | 7.0 | 8.5 | 7.0 | 8.5 | 7.5 | 7.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 7.5 | 6.5 | 7.0 | 8.5 | NA | 8.5 |
| | RX04-52 | 104 | SS RIB | 30-35 | 2417 | MED | MED-TALL | MED | SEMI-FLEX | 14-16 | 8.0 | 7.5 | 9.0 | 7.0 | 8.5 | 7.0 | 8.5 | 8.5 | 8.5 | 7.5 | 7.0 | 7.0 | 7.5 | 7.5 | 6.5 | 8.5 | 7.0 | 7.5 | 7.0 |
| | RX04-03 | 104 | VT2P RIB | 31-36 | 2520 | HIGH-MED | MED | MED | SEMI-FLEX | 14-16 | 7.0 | 7.0 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 7.0 | NA | 7.0 | 8.5 | 7.0 | 7.0 | 7.5 | 7.0 | 8.5 | 7.5 |
| | RX05-72 | 105 | VT2P RIB | 26-36 | 2645 | HIGH-LOW | MED-TALL | MED | SEMI-FLEX | 16-18 | 5.0 | 7.5 | 7.5 | 8.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.0 | 9.0 | 7.5 | 6.5 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.0 | 7.0 |
| | M06-62 | 106 | PC | 30-38 | 2600 | HIGH-LOW | MED-TALL | MED | SEMI-DET | 18-22 | 7.0 | 7.5 | 7.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.5 | 7.0 | 7.0 | 6.5 | 7.0 | 7.5 | 7.5 | 7.5 | 8.5 |
| | RX06-77 | 106 | SS RIB | 30-38 | 2524 | HIGH-MED | MED | MED | SEMI-DET | 16-18 | 7.0 | 8.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 8.5 | 7.0 | NA | 7.0 | 7.5 | 7.5 | 7.5 | 7.5 | 7.0 | 7.0 | 7.0 |
| | RX07-02 | 107 | VT2P; VT2P RIB | 28-36 | 2700 | HIGH-MED | TALL | HIGH | SEMI-FLEX | 14-23 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | 7.0 | 7.5 | 7.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 9.0 | 7.5 | 7.5 | 7.0 | 7.0 |
| X | M08-49 | 108 | PC | 28-36 | 2600 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-20 | 6.0 | 8.5 | 7.5 | 7.5 | 8.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.5 | NA | 7.5 | 7.5 | 7.2 | 7.5 | 7.5 | 7.5 | 8.5 | 8.0 |
| | RX08-97 | 108 | VT2P; VT2P RIB | 29-35 | 2650 | HIGH-MED | MED | MED | SEMI-FLEX | 16-18 | 8.0 | 7.0 | 8.5 | 8.5 | 9.0 | 7.0 | 8.5 | 7.5 | 8.5 | 7.0 | 7.5 | 6.0 | 7.0 | 7.0 | 6.5 | 6.5 | 7.0 | 6.0 | 7.0 |
| | M09-37 | 109 | V | 28-35 | 2660 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-18 | 7.0 | 6.5 | 8.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 7.0 | 8.5 | 8.5 | 7.5 | 7.0 | 7.0 | 7.5 | 8.5 | 6.5 | NA | 7.0 |
| X | M09-47 | 109 | V | 27-36 | 2640 | HIGH-LOW | MED | MED | SEMI-FLEX | 14 | 8.0 | 7.0 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.0 | 7.0 | 7.0 | 7.5 | 8.0 | 8.5 | 7.2 | 7.2 | NA | 8.0 |
| L | M09-14 | 109 | G | 30-36 | 2650 | HIGH-LOW | MED-TALL | MED | SEMI-DET | 16 | 6.0 | 9.0 | 7.5 | 7.5 | 6.5 | 7.5 | 7.5 | 9.0 | 9.0 | 8.5 | 7.5 | 8.5 | 6.5 | 7.0 | 7.5 | 9.0 | 8.5 | 8.5 | 8.0 |
| ď. | RX09-59 | 109 | SS RIB | 30-35 | 2610 | HIGH-MED | MED-TALL | MED-HIGH | SEMI-DET | 16-18 | 8.0 | 7.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.5 | 8.5 | 7.5 | 7.0 | 7.0 | 9.0 | 7.0 | 7.5 | 7.5 | 7.5 | 7.0 |
| L | RX09-60 | 109 | SS RIB | 27-33 | 2730 | HIGH-MED | MED | MED-HIGH | SEMI-DET | 16-18 | 7.0 | 8.5 | 7.5 | 8.5 | 9.0 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 7.0 | 7.0 | 7.5 | 8.5 | 7.0 | 7.5 | 8.5 | 7.5 | 7.0 |
| | M10-01 | 110 | V | 26-33 | 2650 | MED-LOW | MED | MED | FLEX | 18-20 | 7.0 | 6.5 | 7.5 | 9.0 | 9.0 | 8.5 | 8.5 | 6.5 | 7.5 | 7.5 | 8.5 | 6.5 | 6.0 | 6.0 | 6.5 | 8.5 | 6.5 | 7.0 | 7.5 |
| L | M10-16 | 110 | BGV | 28-34 | 2680 | MED-LOW | MED | MED-HIGH | SEMI-FLEX | 18 | 7.0 | 6.5 | 7.5 | 8.5 | 9.0 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 8.5 | 7.0 | 6.0 | 6.5 | 7.0 | 7.5 | 8.5 | 7.0 | 8.0 |
| | RX10-36 | 110 | VT2P | 32-38 | 2640 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16 | 7.0 | 8.5 | 9.0 | 9.0 | 9.0 | 7.5 | 9.0 | 7.5 | 8.5 | 8.5 | 7.5 | 7.5 | 8.5 | 8.5 | 7.5 | 7.0 | 8.5 | 7.5 | 8.0 |
| ١_ | M11-50 | 111 | AA; DV | 28-36 | 2700 | HIGH-LOW | MED-TALL | MED-LOW | SEMI-FLEX | 16 | 8.0 | 6.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 7.0 | 7.5 | NA | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 8.5 | 7.0 | 8.0 |
| X | M11-08 | 111 | PC | 28-36 | 2672 | HIGH-MED | MED | MED | FLEX | 18-20 | 8.0 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 7.5 | 7.5 | 7.0 | 8.5 | NA | 8.5 | 7.5 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 8.0 |
| L | RX11-58 | 111 | VT2P; VT2P RIB | 30-36 | 2626 | HIGH-LOW | MED | MED | SEMI-DET | 16-18 | 7.0 | 7.0 | 7.0 | 8.5 | 9.0 | 7.0 | 8.5 | 7.5 | 8.5 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | 7.0 | 8.5 | 8.5 | 7.5 | 7.0 |
| | RX12-51 | 112 | VT2P; VT2P RIB | 30-36 | 2790 | HIGH-LOW | MED-TALL | MED | SEMI-FLEX | 16 | 5.0 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 8.5 | 7.0 | 8.5 | 8.5 | 7.5 | 8.5 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | 7.0 |
| 1 | RX12-70 | 112 | SS RIB | 30-36 | 2655 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 16-18 | 7.0 | 8.5 | 8.5 | 7.5 | 9.0 | 7.5 | 7.5 | 8.5 | 7.5 | 7.5 | 7.0 | 7.0 | 8.5 | 7.0 | 6.5 | 7.5 | 8.5 | 7.5 | 8.0 |
| | M13-55 | 113 | BG | 32-38 | 2650 | HIGH-LOW | MED | MED | SEMI-FLEX | 18-22 | 8.0 | 7.5 | 8.5 | 8.5 | 8.5 | 7.5 | 7.5 | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 7.5 | 7.0 | 8.5 | 7.5 | 8.5 | 7.5 | 8.0 |
| | M14-40 | 114 | D | 30-36 | 2780 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-20 | 8.0 | 8.5 | 7.5 | 8.5 | 9.0 | 7.5 | 7.0 | 7.0 | 7.5 | 8.5 | 8.5 | 7.5 | 6.5 | 6.5 | 8.5 | 7.5 | 7.0 | 7.0 | 7.5 |
| X | M14-50 | 114 | AA; D | 32-38 | 2800 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-DET | 16 | 5.0 | 8.5 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | 8.5 | 7.5 | 9.0 | 8.5 | 8.5 | 8.5 | 6.5 | 8.5 | 7.5 | 8.5 | 8.5 | 8.5 |

RATING SCALE: 9.0 = EXCELLENT, 1.0 = FAIR, NA = NOT AVAILABLE | MED = MEDIUM | DET = DETERMINANT


TRAITED CORN

| | | | U. U. | | A | 16 | - | | | | | 1 | III SA | | | | | 180 | | - | | | | | | | | | |
|-----|--------------|-------------------|----------------------|------------|--------------------|-------------------|--------------|------------|-----------------|------------|----------------|-----------------|-----------------|-----------------|--------------------|-------------------|---------------------|----------------|---------------|-----------------|----------------|-----------|-------------|---------------|----------------|-------------|----------------------|-------------|----------|
| NEW | PRODUCT NAME | RELATIVE MATURITY | AVAILABLE TECHNOLOGY | POPULATION | GDU TO BLACK LAYER | SOIL PRODUCTIVITY | PLANT HEIGHT | EAR HEIGHT | EAR TYPE (FLEX) | KERNELROWS | SEEDLING VIGOR | CORN-AFTER-CORN | NO-TILL ADAPTED | LATE N RESPONSE | FUNGICIDE RESPONSE | DROUGHT TOLERANCE | GREENSNAP TOLERANCE | STALK STRENGTH | ROOT STRENGTH | SILAGE QUANTITY | SILAGE QUALITY | STAYGREEN | TEST WEIGHT | GRAIN DRYDOWN | GRAY LEAF SPOT | GOSS'S WILT | NORTHERN LEAF BLIGHT | ANTHRACNOSE | TAR SPOT |
| X | M14-57 | 114 | PC | 28-36 | 2829 | HIGH-LOW | MED | MED-HIGH | SEMI-FLEX | 14-16 | 7.0 | 7.5 | 7.0 | 7.5 | 8.5 | 7.5 | 8.5 | 7.5 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | 5.5 | 7.5 | 8.0 | 7.0 | 7.0 | 7.5 |
| | RX14-70 | 114 | SS | 27-36 | 2852 | HIGH-LOW | MED-TALL | MED-HIGH | SEMI-FLEX | 16-18 | 7.0 | 9.0 | 9.0 | 7.5 | 6.5 | 8.5 | 7.5 | 9.0 | 9.0 | 9.0 | 7.5 | 9.0 | 9.0 | 6.5 | 9.0 | 7.5 | 7.5 | 8.5 | 8.0 |
| | RX14-75 | 114 | G | 30-36 | 2825 | HIGH-MED | MED | MED | SEMI-DET | 16-18 | 6.0 | 7.5 | 7.0 | 7.5 | 9.0 | 7.5 | 7.5 | 8.5 | 7.0 | 8.5 | 7.5 | 7.0 | 8.5 | 7.0 | 7.0 | 8.5 | 7.0 | 7.5 | 7.5 |
| | M15-28 | 115 | VZ | 26-36 | 2790 | HIGH-MED | MED-TALL | MED | SEMI-FLEX | 14-18 | 6.0 | 7.5 | 7.5 | 8.5 | 7.5 | 7.0 | 7.5 | 7.5 | 6.0 | 8.5 | 7.5 | 7.0 | 7.5 | 7.0 | 7.5 | 7.5 | NA | 7.5 | NA 🚪 |

RATING SCALE: 9.0 = EXCELLENT, 1.0 = FAIR, NA = NOT AVAILABLE | MED = MEDIUM | DET = DETERMINANT

Hybrids or Varieties marked RX are licensed by Roeschley Hybrids 8222 East 1500 North Road Graymont, IL 61743. Miller Hybrids is an authorized distributor of Roeschley Hybrids.

| ١ | | | | -1 |
|---|-----------------------------|---|---------------------------------------|---------|
| | SYNGENTA BELOW (| PROUND STACKS | HERBICIDE TOLERANCE | ВАУЕ |
| | Duracade Viptera | DuracadeViptera™ (DV) | GLUFOSINATE GLYPHOSATE TOLERANT | V |
| | Duracade | Duracade® (D) | GLUFOSINATE GLYPHOSATE TOLERANT | |
| | SYNGENTA ABOVE G | PROUND STACKS | | |
| | Viptera | Viptera® (V) | GLUFOSINATE GLYPHOSATE TOLERANT | |
| | Viptera z s | Viptera™Z3 (VZ) | GLUFOSINATE GLYPHOSATE TOLERANT | BAYE |
| b | Agrisure Above | Agrisure® Above (AA) | GLUFOSINATE GLYPHOSATE TOLERANT | |
| į | AgrisureGT | Agrisure® GT (G) | GLYPHOSATE TOLERANT | W |
| | Agrisure LIBERTY 3010 | Agrisure® 3010 (BG) - 20% refuge needed | GLYPHOSATE TOLERANT | |
| 5 | Agrisure LIBERTY Viptera | Agrisure Viptera® 3110 (BGV) | GLUFOSINATE GLYPHOSATE TOLERANT | |
| 4 | Artesian | Artesian® – Doesn't tie to trait | - | 1.00 14 |



TRAITED CORN MILLER HYBRIDS

RX0961

G: VT2P

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7 |
| CHACE CHALITY | G |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Very consistent yields and high farm averages
- » Handles all soil types
- » Medium sized healthy plant
- » Good drought tolerance



RX97-13

VT2P RIB

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |
| SILAGE QUALITY | 7.5 |
| | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Consistent high yields
- » Very good roots and stalks
- » Tough hybrid with excellent grain quality
- » Responds to fungicide but great Goss's rating
- » Excellent seedling vigor



RX98-30

VT2P RIB

| STALK STRENGTH | 7 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Excellent yield for maturity
- » Very good Goss's rating
- » Good staygreen and plant health
- » Larger plant size with good ear flex
- » Very good test weight and root quality



M00-75

v

| STALK STRENGTH | 5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 8.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Outstanding yield for maturity
- » Excellent roots and stalks
- » Artesian drought tolerance for yield under stress
- » Consistent across wide geographical area
- » Average plant health



RX00-13

SS RII

| STALK STRENGTH | 7 | |
|-------------------|-----|---|
| ROOT STRENGTH | (| 9 |
| STAYGREEN | 6 | |
| DROUGHT TOLERANCE | 7 | |
| SEEDLING VIGOR | 6 | |
| SILAGE QUALITY | 8.5 | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yield with dual-purpose capabilities
- » Excellent corn-on-corn hybrid
- » Handles varying soils well
- » Early flowering hybrid
- >> Very good silage quality

SmartStax*

RX00-58

VT2P RIB

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yield potential with good fertility
- » Nice fall intactness with good test weight
- » Best performance Central and West
- » Dual-purpose option
- » Very good stalks and greensnap tolerance



M02-73

DV: \

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Great yield with adequate water and fertility
- » Widely adapted across maturity zones
- » Excellent plant health and standability
- » Performs best in higher organic matter soils
- » Great dual-purpose option





RX04-03

VT2D DIR

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 8. |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7 |

- » High yielding VT Double PRO® hybrid with consistency
- » Includes ASR (Anthracnose Stalk Rot) resistance
- » Outstanding fall appearance
- » Well-rounded agronomics with very good stalks
- » Fast drydown and moves North well



TRAITED CORN

RX05-72 105 DAY

VT2P RIB

| STALK STRENGTH | 7.5 |
|----------------------------------|------------|
| ROOT STRENGTH | 7 |
| STAYGREEN | 6.5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR 5 | |
| SILAGE QUALITY | 7.5 |
| Rating Scale: 9.0 = Excellent, 1 | I.0 = Fair |

- » Outstanding top-end yielding hybrid over the years
- » Ears flex by adding girth
- » Moves South of zone
- » Excellent disease tolerance
- » Low greensnap risk with strong stalks and roots



M06-62 **106 DAY**

| STALK STRENGTH | 7.5 |
|----------------------------------|-----------|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 8. |
| SEEDLING VIGOR | 7 |
| SILAGE QUALITY | 7.5 |
| Rating Scale: 9.0 = Excellent, 1 | .0 = Fair |

- » Nice PowerCore® Enlist® Corn product
- » Moves North well and flowers early
- » Girthy ear with deep kernels
- » Very good staygreen and intactness
- » Good tolerance to Tar Spot, NCLB, and Goss's Wilt



RX06-77 106 DAY

SS RIB

| STALK STRENGTH | 8.! |
|-------------------|-----|
| ROOT STRENGTH | 8. |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7 |

- Rating Scale: 9.0 = Excellent, 1.0 = Fair
- » New SmartStax® Pro Hybrid RNAi technology
- » Moves East to West and handles variable soils
- » Key corn-on-corn hybrid for its maturity
- » Very well rounded agronomics



M08-49 **108** DAY

NEW

| STALK STRENGTH | 8 | .5 |
|-------------------|-----|----|
| ROOT STRENGTH | 7.5 | |
| STAYGREEN | 7.5 | |
| DROUGHT TOLERANCE | 7 | |
| SEEDLING VIGOR | 6 | |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Outstanding NCLB, Tar Spot, and Goss's tolerance
- » Best performance in zone and to the South
- » Nice grain quality and test weight
- » Excellent stalks and health
- » Outstanding yielding PowerCore®Enlist® hybrid



RX08-97 108 DAY

VT2P: VT2P RIB


| STALK STRENGTH | 7.5 |
|----------------|-----|
| ROOT STRENGTH | 8 |

STAYGREEN DROUGHT TOLERANCE

SEEDLING VIGOR SILAGE OUALITY

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Stability and high yield
- » Responds well to fungicide
- » Very good seedling vigor
- » Excellent root strength
- » Likes side dressed nitrogen and better soils





M09-37

109 DAY

| STALK STRENGTH 7.5 | 5 |
|---|-----|
| ROOT STRENGTH 7 | |
| STAYGREEN 7.5 | 5 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR 7 | |
| SILAGE QUALITY | 8.5 |
| Ratina Scale: 9.0 = Excellent, 1.0 = Fair | |

- » High yield potential
- » Very good stalks
- » Excellent ear flex
- » Excellent emergence and vigor
- » Artesian® drought tolerance



M09-47 109 DAY

NEW

| 7.5 | |
|-----|----------|
| 7.5 | |
| 7 | |
| | 8.5 |
| | 8 |
| 7 | |
| | 7.5 7 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

» Superior heat and drought tolerance and responds to higher plant densities

/iptera

M09-14 **109** DAY

| STALK STRENGTH | 9 | |
|---|-----|--|
| ROOT STRENGTH | 9 | |
| STAYGREEN | 8.5 | |
| DROUGHT TOLERANCE | 7.5 | |
| SEEDLING VIGOR | 6 | |
| SILAGE QUALITY | 7.5 | |
| Rating Scale: 9.0 = Excellent, 1.0 = Fair | | |

- » Yields very consistently and stands well
- » Great plant health, NCLB, and Goss's Wilt ratings
- » Girthy, shorter ear on medium-tall plant
- » Nice test weight
- » Medium-tall plant rated very good for greensnap



TRAITED CORN MILLER HYBRIDS

RX09-60 109 DAY

SS RIB

| STALK STRENGTH | 7.5 |
|--------------------------------|------------|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7 |
| SILAGE QUALITY | 7 |
| Rating Scale: 9.0 = Excellent, | 1.0 = Fair |

- » Thrives under high management
- » Strong response to fungicide
- » Good stalks and roots
- >> Very good NCLB



M10-16 110 DAY

| STALK STRENGTH | /.5 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 8.5 |
| SEEDLING VIGOR | 7 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » High yielding hybrid with great consistency
- » Responds to fungicide
- » Handles lower densities due to the flex ear
- » Good standability and NCLB tolerance
- » Great Goss's Wilt tolerance





RX10-36 110 DAY

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 7 |
| SILAGE QUALITY | 7.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » A must plant hybrid on your average and better soil
- » Outstanding response to high management and high density
- Outstanding grain quality and test weight
- » Good standability and NCLB tolerance
- » Excellent greensnap tolerance and root strength



M11-50 III DAY

AA: DV

| STALK STRENGTH | 8.5 |
|-------------------|-----|
| ROOT STRENGTH | 7 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » New hybrid with above ground and below ground trait options
- » Solid agronomics and Tar Spot tolerance
- » Great test weight and grain quality
- » Yields over wide area
- » Great for no-till and corn-on-corn





M13-55 **113** DAY

| STALK STRENGTH | 7.5 |
|-------------------|-----|
| ROOT STRENGTH | 8.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |
| SILAGE OUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Nice yield with Impressive fall appearance
- » Upright leaf angle for added light penetration
- » High yield response to fungicide
- » Very good roots and good stalks

Agrisure LIBERTY

M14-40 **114** DAY

| STALK STRENGTH | 7 |
|-------------------|-----|
| ROOT STRENGTH | 7.5 |
| STAYGREEN | 7.5 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR | 8 |
| SILAGE QUALITY | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Superior yielding, dual-purpose hybrid
- » Responds to fungicide and high management
- » Great response to irrigation
- » Flexes well at lower densities
- » Very good roots and greensnap tolerance



M14-50 114 DAY

| STALK STRENGTH | | 8.5 |
|-------------------|---|-----|
| ROOT STRENGTH | | 7.5 |
| STAYGREEN | | 8.5 |
| DROUGHT TOLERANCE | | 7.5 |
| SEEDLING VIGOR | 5 | |
| SILAGE QUALITY | | 8.5 |

Rating Scale: 9.0 = Excellent, 1.0 = Fair

- » Outstanding late season agronomics and yield stability
- » Great corn-on-corn
- » Plant when soils are warmer
- » Nice grain guality
- » Great dual-purpose option

Agrisure Above Duracade



NEW

RX14-75

| STALK STRENGTH | 8.5 |
|--------------------------------------|------|
| ROOT STRENGTH | 7 |
| STAYGREEN | 7 |
| DROUGHT TOLERANCE | 7.5 |
| SEEDLING VIGOR 6 | |
| SILAGE QUALITY | 7.5 |
| Rating Scale: 9.0 = Excellent, 1.0 = | Fair |

- » High yield and widely adapted refuge corn
- >> Very good drought tolerance
- » Excellent grain quality and test weight
- » Very good disease resistance



Hybrids or Varieties marked RX are licensed by Roeschley Hybrids 8222 East 1500 North Road Graymont, IL 61743. Miller Hybrids is an authorized distributor of Roeschley Hybrids

| Insect | Viptera° trait stacks | Agrisure° Above | VT Double PRO® RIB Complete® | PowerCore® |
|----------------------|-----------------------|-----------------|---------------------------------|------------|
| Corn Earworm | ++++ | ++ | +++ | +++ |
| Black Cutworm | ++++ | +++ + | | +++ |
| Fall Armyworm | ++++ | + | + +++ | |
| Western Bean Cutworm | ++++ | + | + | + |
| Common Stalk Borer | +++ | + | + + | |
| True Armyworm | ++++ | | | |
| European Corn Borer | ++++ | ++++ | ++++ | ++++ |

INSECT CONTROL SCALE: BLANK = UNAVAILABLE +=SOME ++=GOOD +++ = VERY GOOD ++++ = EXCELLENT

ENLIST® WEED CONTROL SYSTEM-

PROVEN CONTROL OF TOUGH WEEDS



Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use on PowerCore® Enlist® corn crops.

2,4-D choline **Glyphosate Glufosinate FOP Herbicides** · Convenient proprietary blend of 2,4-D choline and glyphosate Enlist Duo COLEX+D* technology • The two sites of action work together to deliver control of yield-robbing weeds and help prevent resistance • Straight-goods 2,4-D choline with additional tank-mix flexibility Enlist One COLEX*D* technology • Provides additional tank-mix flexibility with Liberty® herbicide and other qualified tank-mix products, allowing for a customized weed control HERBICIDE program to fit each farm

On-Target Application

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester

SOYBEANS MILLER HYBRIDS

| NEW | PRODUCT NAME | MATURITY | TRAIT OFFERING | PLANT HEIGHT | PLANT TYPE | FLOWER COLOR | PUBESCENCE COLOR | POD COLOR | HILUM COLOR | EMERGENCE | PHYTOPHTHORA TOLERANCE | IRON CHLOROSIS | SCN RESISTANCE | SDS RESISTANCE | BSR RESISTANCE | WHITE MOLD | STANDABILITY | STRESS TOLERANCE |
|-----|--------------|----------|------------------------|--------------|----------------------------|-------------------|---------------------|------------|-------------------|-----------|---------------------------|----------------|----------------|----------------|----------------|------------|--------------|------------------|
| | M1538C | 1.5 | CONVENTIONAL | MED-TALL | INTERMEDIATE | PURPLE | LIGHT-TAWNY | TAN | BLACK | 4.3 | 3.9 (RPS 1K) | 4.3 | R | 3.5 | R | 3.6 | 3.7 | 4.3 |
| | M1938C | 1.9 | CONVENTIONAL | MED | INTERMEDIATE-BUSH | PURPLE | LIGHT-TAWNY | TAN | BLACK | 4.5 | 3.9 (RPS 1K) | 3.8 | R | 3.9 | NG | 3.8 | 3.8 | 4.1 |
| | M2238C | 2.2 | CONVENTIONAL | MED-TALL | INTERMEDIATE | PURPLE | GRAY | TAN | BUFF | 4.5 | 4.1 (RPS 1K) | 4.0 | R | 3.7 | NG | 3.7 | 3.7 | 4.3 |
| | M2508C | 2.5 | CONVENTIONAL | MED | INTERMEDIATE-BUSH | PURPLE | LIGHT-TAWNY | BROWN | BLACK | 4.8 | 4.2 | 4.3 | 4.3 | 3.9 | 3.5 | 3.6 | 3.9 | 4.0 |
| | M2575CGT | 2.5 | GLYPHOSATE TOLERANT | MED-TALL | INTERMEDIATE | WHITE | LIGHT-TAWNY | BROWN | BLACK | 4.5 | 4.4 | 2.8 | 4.5 | 4.3 | 4.0 | 4.1 | 4.6 | 4.3 |
| 4 | RX2626CXF | 2.6 | XTENDFLEX® | MED-TALL | INTERMEDIATE-BUSH | PURPLE | GRAY | BLACK | IMPERFECT-BLACK | 4.6 | 3.9 (RPS 1C) | 3.5 | R | 3.9 | R | 3.7 | 4.1 | 4.0 |
| X | M2738C | 2.7 | CONVENTIONAL | MED-TALL | INTERMEDIATE | WHITE | LIGHT-TAWNY | TAN | BLACK | 4.1 | 4.1 (RPS 1C) | 3.8 | R | 3.5 | R | 3.5 | 3.7 | 4.1 |
| t | M3088C | 3.0 | CONVENTIONAL | MED-TALL | INTERMEDIATE-BUSH | PURPLE | LIGHT-TAWNY | BROWN | BROWN | 4.8 | 4.0 | 3.3 | 4.0 | 3.5 | 3.0 | 4.0 | 4.2 | 4.0 |
| 7 | RX3216CXF | 3.2 | XTENDFLEX® | MED | INTERMEDIATE | PURPLE | GRAY | TAN | IMPERFECT-BLACK | 4.2 | 3.8 | 3.6 | R | 4.0 | 4.5 | NA | 4.1 | 4.2 |
| X | M2333CE3 | 2.3 | ENLIST E3® | MED-TALL | INTERMEDIATE | WHITE | GRAY | TAN | BUFF | 4.3 | 4.0 (RPS 1CH3A) | 3.8 | R | 3.8 | NG | 3.8 | 4.0 | 4.3 |
| X | M2533CE3 | 2.5 | ENLIST E3® | MED-TALL | INTERMEDIATE | PURPLE | GRAY | BROWN | BUFF | 4.3 | 4.1 (RPS 1A) | 3.2 | R | 3.7 | NG | 3.5 | 3.8 | 4.3 |
| X | M2933CE3 | 2.9 | ENLIST E3® | MED-TALL | INTERMEDIATE | PURPLE | GRAY | BROWN | IMPERFECT-BLACK | 4.5 | 4.5 | 3.6 | R | 4.0 | NG | 3.8 | 3.8 | 4.5 |
| X | M3333CE3 | 3.3 | ENLIST E3® | MED-TALL | INTERMEDIATE-BUSH | PURPLE | GRAY | TAN | IMPERFECT-BLACK | 4.5 | 4.5 | 3.6 | R | 4.0 | R | NA | 4.3 | 4.5 |
| 9 | | | | | PATING SCALE, F.A EVCELLEN | F 1 0 - FAIR NA | NOT AVAILABLE | MED MEDIUM | L D DECICIANT LNC | NO CENI | - | | | | | | | |

RATING SCALE: 5.0 = EXCELLENT, 1.0 = FAIR | NA = NOT AVAILABLE | MED = MEDIUM | R = RESISTANT | NG = NO GENE

Hybrids or Varieties marked RX are licensed by Roeschley Hybrids 8222 East 1500 North Road Graymont, IL 61743. Miller Hybrids is an authorized distributor of Roeschley Hybrids.

ENLIST® WEED CONTROL SYSTEM-

PROVEN CONTROL OF TOUGH WEEDS



Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist E3® soybean crops.

2,4-D choline | Glyphosate | Glufosinate



- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two sites of action work together to deliver control of yield-robbing weeds and help prevent resistance



- Straight-goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with Durango® DMA® herbicide, Liberty® herbicide and other qualified tank-mix products, allowing for a customized weed control program to fit each farm

On-Target Application

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester

SOYBEANS

1538C 1.5 RM

| STANDABILITY | 3.7 |
|------------------|-----|
| EMERGENCE | 4.3 |
| STRESS TOLERANCE | 4.3 |
| WHITE MOLD | 3.6 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » IDC bean with performance
- » Consistent and stable across yield environments
- » Amazing stress tolerance in mid Group I conventional



1938C 1.9 RM

| STANDABILITY | 3.8 |
|------------------|-----|
| EMERGENCE | 4.5 |
| STRESS TOLERANCE | 4.1 |
| WHITE MOLD | 3.8 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Shines when looking for top-end yield
- » Prefers to stay central and West
- » Nice yield improvement over 1968C



2238C 2.2 RM

| STANDABILITY | 3.7 |
|------------------|-----|
| EMERGENCE | 4.5 |
| STRESS TOLERANCE | 4.3 |
| WHITE MOLD | 3.7 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Carries the PEKING marker for SCN
- » Competes with the top traited soybeans
- » Will handle tougher conditions nicely



2508C 2.5 RM

| STANDABILITY | 3.9 |
|------------------|-----|
| EMERGENCE | 4.8 |
| STRESS TOLERANCE | 4.0 |
| WHITE MOLD | 3.6 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Must plant in the mid Group II zone
- » Quick canopy to shade the rows
- » Very good Phytophthora field tolerance
- » Excellent IDC score and Cyst Nematode rating



2626CXF 2.6 RM

| STANDABILITY | 4.1 |
|------------------|-----|
| EMERGENCE | 4.6 |
| STRESS TOLERANCE | 4.0 |
| WHITE MOLD | 3.7 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Solid agronomic package!
- » Manage placement on high PH soils
- » Broadly adapted and moves North of zone well

2738C

NEW

| STANDABILITY | 3.7 |
|------------------|-----|
| EMERGENCE | 4.1 |
| STRESS TOLERANCE | 4.1 |
| WHITE MOLD | 3.5 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » A must plant conventional in 2024
- » This bean is all about the yield
- » Nice agronomic package overall



3088C 3.0 RM

| STANDABILITY | 4.2 |
|------------------|-----|
| EMERGENCE | 4.8 |
| STRESS TOLERANCE | 4.0 |
| WHITE MOLD | 4.0 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Top yielding Group III conventional
- » Good resistance to SDS and nice defensive package
- » Fast emergence and early growth works well for organic
- » Great under irrigation, but very good stress tolerance



3216CXF

3.2 RM

| STANDABILITY | 4.1 |
|------------------|-----|
| EMERGENCE | 4.2 |
| STRESS TOLERANCE | 4.2 |

- » Very strong agronomics
- » Recommend a seed treatment to boost Phytophthora tolerance
- » Excellent yield potential







Miller Hybrids offers proprietary seed treatments for corn and soybeans under our Shieldcoat™ blend brand. Shieldcoat™ blends include industry leading fungicide, insecticide, and inoculum packages to provide enhanced protection of your seed.

A unique, enhanced benefit of Shieldcoat™ blends is our inclusion of corn and soybean inoculants, at no charge to the customer. All soybeans treated with a Shieldcoat™ blend include New Tech SI inoculant which is a stabilized soybean inoculant with an Azospirillum root enhancer. New Tech SI brings increased root mass due to atmospheric nitrogen fixation from the Azospirillum bacteria and it also assists nodulation. Our corn Shieldcoat™ treatment containing Vertex which combines atmospheric nitrogen fixation by an Azospirillum root enhancer, as well as a phosphorous solubilizing bacterium that will improve the accessibility of phosphorous to plants. These seed inoculants promote early root development and have been proven to increase yield and ROI in both corn and soybeans.

cover crops, sudan grasses, clover, and forage sorghum available upon request

Profusion-HX

| 00/ | 22/25 |
|-------------------------|------------------------|
| DRI | 33/35 |
| Fineness of Stem | Fine |
| Bacterial Wilt | High Resistance |
| Fusarium Wilt | High Resistance |
| Verticillium Wilt | High Resistance |
| Wheel Traffic Tolerance | High |
| Phytophthora RR | High Resistance |
| Anthracnose (Race 1) | High Resistance |

| FALL DORMANCY | 4.5 |
|------------------------|-----|
| WINTER SURVIVAL | 5.0 |
| RECOVERY AFTER HARVEST | 4.5 |
| STRESS TOLERANCE | 4.5 |
| WET SOIL | 4.0 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

SUNSTRA

- » Top-yielding hybrid with tap root
- » Very fast regrowth to allow more cuttings
- » Fine stem for top dairy quality, even if cut late
- » Packs tight to make a dense, attractive bale
- » Excellent drought tolerance

MA-379HY/BR

| DRI | 34/35 |
|-------------------------|-----------------|
| Fineness of Stem | Fine |
| Bacterial Wilt | High Resistance |
| Fusarium Wilt | High Resistance |
| Verticillium Wilt | High Resistance |
| Wheel Traffic Tolerance | High |
| Phytophthora RR | High Resistance |
| Anthracnose (Race 1) | High Resistance |
| | |

| FALL DORMANCY | 4.0 |
|------------------------|-----|
| WINTER SURVIVAL | 4.5 |
| RECOVERY AFTER HARVEST | 4.5 |
| STRESS TOLERANCE | 4.5 |
| WET SOIL | 5.0 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Top-yielding hybrid with extra root branching
- » Works better in wet soils than most alfalfas
- » Reduces winter heaving in wetter soils
- » Fine stem for top dairy quality, even if cut late
- » High resistance to major diseases

Seneca

| DRI | 34/35 |
|-------------------------|------------------------|
| Fineness of Stem | Fine |
| Bacterial Wilt | High Resistance |
| Fusarium Wilt | High Resistance |
| Verticillium Wilt | High Resistance |
| Wheel Traffic Tolerance | Moderate |
| Phytophthora RR | High Resistance |
| Anthracnose (Race 1) | High Resistance |
| | |
| FALL DORMANCY | 4.0 |
| FALL DORMANCY | 4.0 |

| FALL DORMANCY | 4.0 |
|------------------------|-----|
| WINTER SURVIVAL | 5.0 |
| RECOVERY AFTER HARVEST | 4.0 |
| STRESS TOLERANCE | 4.0 |
| WET SOIL | 4.0 |

Rating Scale: 5.0 = Excellent, 1.0 = Fair

- » Yield leader in the non-hybrid variety market
- » Very good dairy-quality forage with fine stem
- » Consistently performs across variable soils
- » Recovers faster than other non-hybrid alfalfas

MA-35PB

| DRI | 32/35 |
|-------------------------|------------------------|
| Fineness of Stem | Moderate |
| Bacterial Wilt | High Resistance |
| Fusarium Wilt | High Resistance |
| Verticillium Wilt | High Resistance |
| Wheel Traffic Tolerance | Moderate |
| Phytophthora RR | High Resistance |
| Anthracnose (Race 1) | Resistant |

| FALL DORMANCY | 4.0 |
|------------------------|-----|
| WINTER SURVIVAL | 4.5 |
| RECOVERY AFTER HARVEST | 4.0 |
| STRESS TOLERANCE | 4.0 |
| WET SOIL | 3.5 |

- » High-quality, premium blend of alfalfa
- » Value priced option
- » Contains current varieties, not old varieties
- » Meets all seed quality standards

YOUR SUCCESS STARTS HERE.



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in

the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.

B.t. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

Refuge seed may not always contain the DroughtGard® trait. IMPORTANT IRM INFORMATION: Certain products are sold as RIB Complete® corn blend products, and do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. Products sold without refuge in the bag (non-RIB Complete) require the planting of a structured refuge. See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Acceleron®, DroughtGard®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO® and XtendFlex® are registered trademarks of Bayer Group. Herculex® is a registered trademark of Dow AgroSciences LLC. Agrisure Viptera® is a registered trademark of a Syngenta group company, LibertyLink logo® and LibertyLink® are trademarks of BASF Corporation. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association.







Acceleron®, DroughtGard®, RIB Complete and Design®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready®, Roundup®, SmartStax and Design®, SmartStax®, Trecepta®, RIB Complete®, VT Double PRO®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready PLUS®, SR and Design®, TruFlex™, VaporGrip®, XtendFlex® and XtendiMax® are trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® are registered trademarks of BASF Corporation. Herculex® is a registered trademark of Corteva AgroSciences LLC. Agrisure Viptera® is a registered trademark of Syngenta. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association. All other trademarks are the property of their respective owners.

Seed containing a patented trait can only be used to plant a single commercial crop. It is unlawful to save and replant Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Additional information and limitations on the use of these products are provided in the Technology Stewardship Agreement and the Bayer Technology Use Guide: tug.bayer.com. U.S. patents for Bayer technologies can be found at the following webpage: cs.bayerpatents.bayer.com

Important: Always read and follow label and bag tag instructions: only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides. Agrisure®, Agrisure® Above, Agrisure Viptera®, Artesian®, Duracade®, DuracadeViptera™, Viptera™, Viptera™Z3, and EZ Refuge Renew® are trademarks of a Syngenta Group Company.

More information about Duracade® is available at www.biotradestatus.com.



Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.



Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience, LLC, HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience, LLC.



YieldGard VT Pro® is a registered trademark used under license from the Bayer Group.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance Corteva Agrisciences Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact DAS at 877-4-TRAITS (877-487-2487). Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotradestatus.com.

Seeds containing the Enlist, Herculex and PowerCore traits are protected under numerous US patents. Seeds containing patented traits can only be used to plant a single commercial crop and cannot be saved or replanted. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements detailed therein (www.corteva.us/Resources/trait-stewardship. html). To plant Enlist, Herculex and PowerCore seed, you must have a limited license from Corteva Agriscience. In consideration of the foregoing, Corteva Agriscience grants to the Grower the limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products. Enlist corn contains genes that confer tolerance to 2,4-D and -fop herbicides. 2,4-D and -fop herbicides will damage or kill crops that are not tolerant to 2,4-D or -fops.



IRM - Properly managing trait technology is key to preserving it as a long-term crop protection tool. Growers who fail to comply with IRM requirements risk losing access to this product. To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a

bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with Bt technology, including refuge examples and important information on the use of insecticides on refuge and Bt corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/ Resources/trait-stewardship.html to download the latest Corteva Agriscience Corn Product Use Guide.



Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at the following webpage: www.corteva.us/

Resources/trait-stewardship.html.

Enlist Duo® and Enlist One® herbicides are not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist Duo and Enlist One are the only 2,4-D products authorized for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. Enlist E3® soybeans were jointly developed by Corteva Agriscience and MS Technologies, LLC. ®™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience. PowerCore® multi-event technology developed by Corteva Agriscience and Monsanto. Roundup®, Roundup Ready®, Roundup Ready 2 Technology and Design, and PowerCore® are registered trademarks of Monsanto Technology LLC. Liberty Link® and the Water Droplet Design® are registered trademarks of BASF. Enlist®, Colex-D®, and Refuge Advanced® are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship is a registered trademark of Excellence Through Stewardship.

PCE - PowerCore® Enlist® Refuge Advanced® corn products with HX1, VTP, ENL, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with PowerCore Enlist Refuge Advanced products.

PWE - PowerCore® Enlist® corn products with HX1, VTP, ENL, LL, RR. A separate 5% corn borer refuge in the corn belt, and a separate 20% corn borer refuge in EPA-designated cotton-growing counties must be planted PowerCore **Enlist products.**





Corn



Soybean



Alfalfa



Cover Crops

YOUR SUCCESS STARTS HERE.

1213 LARCH AVENUE • KALONA, IA 52247

319.656.2532 • 866.946.CORN • WWW.MILLERHYBRIDS.COM